

Nephrology Nurse Practitioner Practice Test Questions and Answers

1. What is the normal range for serum creatinine in adults?

- A) 0.6-1.2 mg/dL
- B) 2.0-3.0 mg/dL
- C) 3.5-5.0 mg/dL
- D) 8.0-10.0 mg/dL

2. Which medication is commonly used as a first-line treatment for hypertension in chronic kidney disease patients?

- A) Hydrochlorothiazide
- B) ACE inhibitors or ARBs
- C) Beta-blockers
- D) Calcium channel blockers

3. At what GFR level is a patient typically considered to have Stage 4 chronic kidney disease?

- A) 60-89 mL/min/1.73m²
- B) 45-59 mL/min/1.73m²
- C) 30-44 mL/min/1.73m²
- D) 15-29 mL/min/1.73m²

4. Which electrolyte imbalance is most commonly associated with advanced chronic kidney disease?

- A) Hyponatremia
- B) Hyperkalemia
- C) Hypocalcemia
- D) Hypomagnesemia

Answers: 1-A 2-B 3-D 4-B

For More Nephrology Nurse Practitioner Questions and Answers FREE, Nephrology Nurse Practitioner Online Prep Training, Nephrology Nurse Practitioner Exam, Nephrology Nurse Practitioner Study Guide, Nephrology Nurse Practitioner Flashcards, Nephrology Nurse Practitioner Quizzes visit:

Nephrology Nurse Practitioner Practice Test

Practice Test Geeks © All Rights Reserved